

FIG.1

FIG.2

USER SETUP SCREEN (example)

<p><u>Recovery Point Object</u></p> <p>○ Time <input style="width: 50px;" type="text"/></p> <p>● Hour <input style="width: 50px;" type="text" value="PM12:00"/> No. of Generations <input style="width: 50px;" type="text" value="7"/></p> <p>○ Total Size of Changed Blocks <input style="width: 80px;" type="text"/></p>	<p><u>Recovery Time Object</u></p> <p><input type="checkbox"/> <input style="width: 150px;" type="text"/></p> <p>0 1 2 3</p> <p>Time <input style="width: 80px;" type="text" value="30 mins."/></p>
--	--

FIG.3

114

Performance Management Program			
Performance Management Table			
Internal LUN	0	1
RAID Configuration	2D+1P	3D+2P
Disk Type	FC	ATA
Disk Capacity	144GB	180GB
Read Performance	50M	30M
Write Performance	70M	30M
⋮	⋮	⋮	

1141

FIG.4




FIG.5




FIG.6





FIG.7






FIG. 8

FIG.9





FIG.10






FIG.11

FIG.12

61

File List 611

File Group No.	File No.	LU	LBA	No. of Blocks
0	0	0	100	100
	1	0	200	10
	2	0	400	25
		0	720	12
	3	1	120	200
1	0	1	500	3200
⋮	⋮	⋮	⋮	⋮